

KING'S COLLEGE LIBRARY, TAUNTON, SOMERSET MITCHELL TAYLOR WORKSHOP

Selected products

Linear lighting to library and behind shelves

ETAP Kardo 90 Suspended Luminaires and ETAP (LED strip) surface-mounted LED luminaire www.etaplighting.com

Classroom and stair core lighting

Zumtobel Ecoos Suspended fluorescent and Zumtobel Solina High bay fluorescent luminaire www.zumtobel.com

Metal signage

Aller Engineering www.allerengineering.com

Slate signage

K Signs

www.k-signs.co.uk

Manifestations

Co Signs

www.cosigns.co.uk Brick

ibstock mixed palette

www.ibstock.com

Roofing

VM Zinc pre-weathered Quartz-Zinc

www.vmzinc.co.uk

Glazing and perforate vent panels

SAPA Building Systems and Total Aluminium Systems www.sapabuildingsystems.co.uk

www.total-aluminium.co.uk

Glass to bay windows

Glazing Innovations

www.glazinginnovations.co.uk

Rubber flooring

Nora Plan Uni/1461

www.nora.com

Carpet


Miliken Collection, Textural, Cord 8222 Charcoal www.milikencarpet.com














Project data

Start on site date March 2010

Contract duration 48 weeks Gross internal floor area 620m²

Form of contract JCT 2005 Intermediate

Total cost £1.4 million

Cost per m² £2,250 Client The governors, King's College

Architect Mitchell Taylor Workshop

Structural engineer Hydrock Structures 1

M&E consultant Buro Happold

Quantity surveyor Peter Ballingall Associates/ Clark Associates

Main contractor R G Spiller

CDM coordinator Mitchell Taylor Workshop

Approved building inspector Oculus Consultancy


Clockwise from top left View looking north; main library; stair lobby; library looking west; view from north-east The new library and classrooms at King's College, Taunton are the result of three years working closely with the school to develop a brief and then design a learning environment that meets the challenges of contemporary education. The design was born in part from a sustainability agenda that aimed to minimise the energy used to run the building with internal volumes that encourage stack effect natural ventilation, a super insulated shell and the use of natural recyclable materials. The 'witch's hat' shape of the roof presents rooflights to the north, introducing indirect daylight to the library and classrooms.


The challenge of working alongside mid-19th century Grade II listed buildings built of sandstone from long-exhausted quarries was met with the decision to use a mix of four bricks and a lime mortar that reflects the texture and character of the original stone walls.

Piers Taylor, director, Mitchell Taylor Workshop

AJ SPECIFICATION 10.11


ATION 10.11 AJ SPECIFICATION 10.11








- 2. Business studies 3. Office
- 4. WC
- 5. Library





KING'S COLLEGE LIBRARY, TAUNTON, SOMERSET MITCHELL TAYLOR WORKSHOP

Right Stair lobby

- 1. Vitral rooflight
- Actuator on BSM system
- 15mm plasterboard on vapour barrier
- 4. Timber rafter
- Unventilated VM zinc standing seam roof
- 6. Breather membrane
- 7. 100mm Xtratherm FR/ALU
- 12mm structural ply sheathing
- 150mm insulation between rafters.
- 10. Vapour barrier



